Sildenafil Milestones In Drug Therapy

Sildenafil citrate (Viagra) is a medication used to treat erectile dysfunction (ED) and pulmonary arterial hypertension (PAH). It is a phosphodiesterase type 5 (PDE5) inhibitor, which means that it works by increasing the levels of cyclic guanosine monophosphate (cGMP) in the body. cGMP is a molecule that relaxes smooth muscle, and this relaxation can lead to improved blood flow to the penis or lungs, depending on the condition being treated.

Sildenafil was first developed by Pfizer in the early 1990s, and it was approved by the US Food and Drug Administration (FDA) in 1998 for the treatment of ED. It quickly became one of the most popular medications for ED, and it has been prescribed to over 50 million men worldwide.



Sildenafil (Milestones in Drug Therapy) by Octavia Steen

🚖 🚖 🚖 🌟 🗧 5 c	out of 5
Language	: English
File size	: 2565 KB
Text-to-Speech	: Enabled
Screen Reader	: Supported
Enhanced typesettir	ng : Enabled
Print length	: 371 pages



In 2005, sildenafil was approved by the FDA for the treatment of PAH. PAH is a rare and life-threatening condition that can lead to heart failure. Sildenafil has been shown to be effective in reducing symptoms of PAH and improving quality of life.

Clinical Trials

Sildenafil has been studied in a number of clinical trials, both for the treatment of ED and PAH. In clinical trials for ED, sildenafil has been shown to be effective in improving erectile function in men of all ages. It is also well-tolerated, with the most common side effects being headache, flushing, and indigestion.

In clinical trials for PAH, sildenafil has been shown to be effective in reducing symptoms and improving quality of life. It is also well-tolerated, with the most common side effects being headache, flushing, and diarrhea.

Clinical Use

Sildenafil is used to treat ED and PAH in both men and women. It is typically taken orally, and the dosage may vary depending on the condition being treated.

For ED, sildenafil is typically taken on an as-needed basis, about 1 hour before sexual activity. The usual dosage is 50 mg, but it may be increased to 100 mg or decreased to 25 mg depending on the patient's response.

For PAH, sildenafil is typically taken three times a day. The usual dosage is 20 mg, but it may be increased to 40 mg or decreased to 10 mg depending on the patient's response.

Sildenafil is a safe and effective medication that is used to treat ED and PAH. It has been studied in a number of clinical trials, and it has been shown to be effective in improving symptoms and quality of life. Sildenafil is a well-tolerated medication, with the most common side effects being headache, flushing, and indigestion. If you are experiencing symptoms of ED or PAH, talk to your doctor about whether sildenafil may be right for you.

References

 Viagra (sildenafil citrate). (2020, June 16). Retrieved from https://www.drugs.com/viagra.html 2. Sildenafil. (2020, June 16). Retrieved from https://www.medicinenet.com/sildenafil/article.htm 3. Sildenafil (Viagra) for Erectile Dysfunction. (2020, June 16). Retrieved from https://www.webmd.com/erectile-dysfunction/guide/viagra-sildenafil-ed 4. Sildenafil (Revatio) for Pulmonary Arterial Hypertension. (2020, June 16). Retrieved from https://www.webmd.com/pulmonaryhypertension/guide/sildenafil-revatio-pah



Sildenafil (Milestones in Drug Therapy) by Octavia Steen

🜟 🚖 🚖 🌟 🗧 5 ou	t	of 5
Language	;	English
File size	:	2565 KB
Text-to-Speech	;	Enabled
Screen Reader	:	Supported
Enhanced typesetting	:	Enabled
Print length	÷	371 pages





Immerse Yourself in the Enchanting Realm of Nora Roberts' Three Sisters Island Trilogy

Prepare to be captivated by the spellbinding world of Nora Roberts' Three Sisters Island Trilogy, a captivating series that weaves together romance, suspense,...



Unleash the Explosive Action of Going Ballistic Combined Operations!

Prepare for an Adrenaline-Fueled Journey into the Heart of Combat Get ready to immerse yourself in a world of intense action, high-stakes...